Type I Poly Safety Cans

Chemical-resistant HDPE cans offer safe storage for flammable corrosives in a space-saving design

- Independently fire tested and approved by FM Approvals
- Durable one-piece body construction that resist dents, punctures, and chips to withstand abusive environments
- Patented conductive current-carrying carbon insert embedded into the rib of containers completes a ground path between the cover assembly and the flame arrester.
 When used with a grounding strip, this prevents the creation of a static arc during filling or pouring.
- Self-closing cap, pressure-relief mechanism and flame arrester prevent ignition sources from entering without restricting liquid flow in or out of the can
- Resistant to tough acids and heat
- Suitable for most high-purity liquids



Patented conductive current carrying carbon insert



14561



Use smaller capacity safety cans with flame arresters to safely dispense and store chemicals found in laboratories.







12162

| Description and Capacity | WxLxH | OD x L | Approv/Lstg Regulation | Red Model | White Model |
|--|--|----------|---------------------------|--------------|----------------|
| 0.5 gallon (2 L) oval polyethylene safety can | 4.625 x 7.625 x 9.5 in 117 x 194 x 241 mm | | FM | 14065 | _ |
| 1 gallon (4 L) oval polyethylene safety can | 4.625 x 7.625 x 12.75 in 117 x 194 x 324 mm | - FM, UL | | 14160 | 12162 |
| 2.5 gallon (9.5 L) round polyethylene safety can | 10.75 x 14.25 in 273 x 362 mm | | FM III | 14261 | |
| 5 gallon (19 L) round polyethylene safety can | 12.75 x 16 in 324 x 406 mm | | 14561 | _ | |



| Accessories | WxLxH | OD x L | Approv/Lstg Regulation | Model |
|---|-------|---------------------------------|---------------------------|-------|
| Polyethylene funnel for oval cans | _ | 0.562 x 6.5 in 14.3 x 165 mm | _ | 11201 |
| Bolt-on funnel with galvanized hose for 2.5 gallon (9.5 L) and 5 gallon (19 L) cans | | 1 x 13.5 in 25 x 343 mm | | 14411 |